

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5931938".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:08
L2	917396	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:19
L3	17297	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:20
L4	16817	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3 and (rout\$3 or crossbar\$1 or gateway\$1 or switch\$5 or select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:22
L5	1031	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3 and (rout\$3 or crossbar\$1 or gateway\$1 or switch\$5 or select\$3) and global near2 address\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:24

L6	216	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3 and (rout\$3 or crossbar\$1 or gateway\$1 or switch\$5 or select\$3) and global near2 address\$5 and (arbitrar\$4 or random\$2) near4 address\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:25
L7	205	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3 and (rout\$3 or crossbar\$1 or gateway\$1 or switch\$5 or select\$3) and global near2 address\$5 and (arbitrar\$4 or random\$2) near4 address\$5 and (reconfigr\$5 or configur\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:26
L8	156	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3 and (rout\$3 or crossbar\$1 or gateway\$1 or switch\$5 or select\$3) and global near2 address\$5 and (arbitrar\$4 or random\$2) near4 address\$5 and (reconfigr\$5 or configur\$5) and (data or address) near2 rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:27
L9	160	(lock\$4 or inhibit\$3 or preempt\$4) and l7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:29
L10	129	(lock\$4 or inhibit\$3 or preempt\$4) and l8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:29
L11	15361	712/2-300.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:29

L12	1033	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3 and (rout\$3 or crossbar\$1 or gateway\$1 or switch\$5 or select\$3 or mux or multiplex\$4) and global near2 address\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:30
L13	560	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3 and (rout\$3 or crossbar\$1 or gateway\$1 or switch\$5 or select\$3 or mux or multiplex\$4) and global near2 address\$5 and (lock\$3 or inhibit\$3 or preempt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:31
L14	37	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3 near45 (valid\$5 or invalid\$6) and (rout\$3 or crossbar\$1 or gateway\$1 or switch\$5 or select\$3 or mux or multiplex\$4) and global near2 address\$5 and (lock\$3 or inhibit\$3 or preempt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:32
L15	388	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1) near25 (hardware or circuit\$4 or rout\$3) and (shar\$5 or common \$3) near4 address\$3 and (rout\$3 or crossbar\$1 or gateway\$1 or switch\$5 or select\$3 or mux or multiplex\$4) and global near2 address\$5 and (lock\$3 or inhibit\$3 or preempt\$4) and mask\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:33
L16	52507	709/213-252.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:34
L17	2808	709/221,222,242.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:34

L18	6346	710/305-317.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:35
L19	14021	370/406-409,395.31,395.32,395.3,399,393,360,362,352-357,257. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:36
L20	90892	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1 or portion\$1) near15 (virtual\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:37
L21	1528	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1 or portion\$1) near15 (virtual\$4) and global\$4 near4 address\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:38
L22	652	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1 or portion\$1) near15 (virtual\$4) and global\$4 near4 address\$5 and mask\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:42
L23	606	(domain\$1 or region\$1 or zone\$1 or cluster\$3 or block\$1 or sub near2 (divi\$5 or group\$4 or set\$1) or partition\$5 or group\$1 or portion\$1) near15 (virtual\$4) and global\$4 near4 address\$5 and mask\$5 and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:43

L24	127	I23 and I11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:43
L25	81	I23 and I16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:43
L26	4	I23 and I17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:43
L27	8	I23 and I18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:43
L28	20	I23 and I19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:43
L29	31	I8 and I11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:44

L30	15	l8 and l16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:44
L31	1	l8 and l17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:44
L32	0	l8 and l18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:44
L33	3	l8 and l19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:44
L34	30	l10 and l11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:44
L35	8	l10 and l16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:45

L36	1	I10 and I17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:45
L37	0	I10 and I18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:45
L38	0	I10 and I19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:45
L39	76	I15 and I11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:46
L40	49	I15 and I16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:46
L41	1	I15 and I17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:46

L42	7	l15 and l18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:46
L43	0	l15 and l19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:46
L44	42	(drogichen near2 daniel or mccrocklin near2 andrew or aneshansley near2 nicholas).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:47
L45	19	(drogichen near2 daniel or mccrocklin near2 andrew or aneshansley near2 nicholas).in. and l2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:48
L46	3	(drogichen near2 daniel or mccrocklin near2 andrew or aneshansley near2 nicholas).in. and l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:48
L47	3	(drogichen near2 daniel or mccrocklin near2 andrew or aneshansley near2 nicholas).in. and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 13:48
L48	0	(global\$4 near1 address\$5 and rout\$3 and (domain\$1 or cluster\$3 or region\$1) and hardware and (configur\$5 or reconfigur\$4) and distribut\$4 and reconnect\$5).dm.	US-PGPUB	OR	ON	2008/07/28 13:51

L49	0	(global\$4 near1 address\$5 and rout\$3 and (domain\$1 or cluster\$3 or region\$1) and hardware and (configur\$5 or reconfigur\$4) and distribut\$4 and reconnect\$5).clm.	US-PGPUB	OR	ON	2008/07/28 13:52
L50	0	(global\$4 near1 address\$5 and rout\$3 and (domain\$1 or cluster\$3 or region\$1) and hardware and (configur\$5 or reconfigur\$4)).clm.	US-PGPUB	OR	ON	2008/07/28 13:53
L51	0	(global\$4 near1 address\$5 and rout\$3 and (domain\$1 or cluster\$3 or region\$1).clm. and hardware and (configur\$5 or reconfigur\$4)).clm.	US-PGPUB	OR	ON	2008/07/28 13:53
L52	21	(global\$4 near1 address\$5 and rout\$3 and (domain\$1 or cluster\$3 or region\$1)).clm.	US-PGPUB	OR	ON	2008/07/28 13:53
L53	1	(global\$4 near1 address\$5 and rout\$3 and (domain\$1 or cluster\$3 or region\$1) and hardware).clm.	US-PGPUB	OR	ON	2008/07/28 13:53

7/ 28/ 08 1:54:25 PM